## **IN THE CLAIMS:**

Please cancel claims 13 and 14. Please also amend claims 1-3 and 7-12 as shown in the complete list of claims that is presented below.

1. (currently amended) A semiconductor integrated circuit comprising: m scan chains (wherein m is an integer greater than 1) each of which includes a plurality of logic circuits and a plurality of scan registers connected alternately in series, the scan registers being operated in response to a clock signal, each of the scan chains including a first logic circuit having a data input terminal, a first scan register connected to the first logic circuit, the first scan register having a test input terminal, and a last scan register having an output terminal;

a serial/parallel conversion circuit connected to the test input terminals of the first scan registers of the scan chains, the serial/parallel conversion circuit converting serial data into parallel data in response to a multiplied clock signal having a frequency being that is m times of that of the clock signal; and

a parallel/serial conversion circuit connected to the output terminals of the last scan registers of the scan chains, the serial/parallel parallel/serial conversion circuit converting parallel data received from the scan chains into serial data in response to the multiplied clock signal.

- 2. (currently amended) A semiconductor integrated circuit according to claim 1, further comprising a multiplication circuit connected to the serial/parallel conversion circuit and the parallel/serial conversion circuit, the multiplication circuit receiving the clock signal and generating the multiplied clock signal based on the clock signal signal. received thereto.
- 3. (currently amended) A semiconductor integrated circuit according to claim 1, wherein the serial/parallel conversion circuit including includes a plurality of flip-flops connected in series, the flip-flops being operated in response to the multiplied clock signal.

- 4. (original) A semiconductor integrated circuit according to claim 1, wherein the parallel/serial conversion circuit including a plurality of flip-flops and a selector, the flip-flops being operated in response to the multiplied clock signal.
- 5. (currently amended) A semiconductor integrated circuit according to claim 1, wherein each of the serial scan registers includes a selector and a flip-flop being operated in response to the clock signal.
- 6. (currently amended) A semiconductor integrated circuit according to claim 1, wherein the output terminal of the last scan register of one of the ehan scan chains is connected to the data input terminal of the first logic circuit of another one of the scan chains.
  - 7. (currently amended) A semiconductor integrated circuit comprising:

a plurality of scan chains each of which includes a first logic circuit having a data input terminal, a first scan register connected to the first logic circuit, the first scan register having a test input terminal terminal, and a last scan register having an output terminal, the scan registers being operated in response to a clock signal;

a serial/parallel conversion circuit connected to the test input terminals of the first scan registers of the scan chains, the serial/parallel conversion circuit converting serial data into parallel data in response to a multiplied clock signal having a frequency being a that is substantially equal to the number of times of the scan chains of that times the frequency of the clock signal; and

a parallel/serial conversion circuit connected to the output terminals of the last scan registers of the scan chains, the serial/parallel parallel/serial conversion circuit converting parallel data received from the scan chains into serial data in response to the multiplied clock signal.

8. (currently amended) A semiconductor integrated circuit according to claim 7, further comprising a multiplication circuit connected to the serial/parallel conversion circuit and the parallel/serial conversion circuit, the multiplication circuit receiving the

<u>clock signal and</u> generating the multiplied clock signal based on the clock <u>signal signal</u>.

<u>received thereto.</u>

- 9. (currently amended) A semiconductor integrated circuit according to claim 7, wherein the serial/parallel conversion circuit including includes a plurality of flip-flops connected in series, the flip-flops being operated in response to the multiplied clock signal.
- 10. (currently amended) A semiconductor integrated circuit according to claim 7, wherein the parallel/serial conversion circuit including includes a plurality of flip-flops and a selector, the flip-flops being operated in response to the multiplied clock signal.
- 11. (currently amended) A semiconductor integrated circuit according to claim 7, wherein each of the serial scan registers includes a selector and a flip-flop being operated in response to the clock signal.
- 12. (currently amended) A semiconductor integrated circuit according to claim 7, wherein the selectors of the serial scan registers are operated in response to a mode signal.

Claim 13-14 (cancelled).

**AMENDMENT**